

XXXV. SOME CLERIDÆ OF THE INDIAN MUSEUM.

By S. SCHENKLING, *Berlin*.

A lot of *Cleridæ* kindly sent to me for identification by Dr. N. Annandale contains the following species; among them are two new species of the Oriental genus *Callimerus* of which I give here a short description.

1. *Cladiscus sanguinicollis*, Spin.—Andamans.
2. „ „ sp. (immature).—Andamans.
3. *Tillus notatus*, Kl., var. *tristis*, Schklg.—(?) Calcutta.
4. *Callimerus cribratus*, sp. nov.

Niger, capite densissime, pronoto minus dense punctato, palpis apice, antennis basi flavis, elytris irregulariter crebre punctatis, apicibus rotundatim emarginatis, pone medium fascia albo-squamosa. Long. 6 mm. Bengal: Berhampur, Murshidabad District (R. E. Lloyd).

Head very finely rugose. Thorax bluish black, coarsely but not very thickly punctured, at the sides confusedly rugose, largest width before the middle. Scutellum densely clothed with long white hairs. Elytra black, bronzy shining, sparsely not densely punctured, behind the middle a fascia nearly straight of white hairs, abbreviated towards the suture, the extreme apex deeply emarginated between a short interior and a longer exterior tooth. Hind tibiæ not denticulate, lamellæ of the tarsi yellowish.

5. *Callimerus pulcher*, sp. nov.

Niger, violaceo micans, prothoracis punctis duobus, scutello, elytrorum fascia postmediana maculisque duobus (prima rotunda pone basim altera longa ante apicem) albo-squamosis, femoribus rufis. Capite densissime rugosulo, prothorace globoso, parce fortiter punctato, elytris lateribus dense, partim fere seriatim punctatis, juxta suturam fere glabris, apice non emarginatis. Long. 7 mm. Upper Burma: N. Shan Hills (F. Coggin Brown).

Head and thorax black, bluish shining, the antennæ at the base yellow. Thorax highly globular, sparsely strongly punctured, with a white spot at the anterior margin on both sides. Elytra bluish and greenish shining, at the base and at the sides thickly and coarsely punctured (punctures partly arranged in rows, near the suture and before the apex much finer and smaller), behind a little divergent, single apex tapering, the elytra with the following white pattern: a narrow arcuate fascia abbreviated towards margins and suture, a round punctiform patch at the anterior fifth and a sutural line before the apex. All the sides of pectus and

abdomen clothed with white scales. Femora of light red, hind tibiæ not denticulate.

6. *Callimerus*, sp.—Kurseong, E. Himalayas, 5,000 feet.
7. *Opilo sordidus*, Westw., var.—Murree, W Himalayas; Darjiling; Tukvar.
8. „ sp. nov.—Daffla Hills, N. Assam.
9. [*Natalis spinicornis*, Blackb.—Adelaide, Australia.]
10. *Tillicera javana*, Spin.—Kurseong, Sikkim; Shillong, Khasi Hills.
11. „ *bibalteata*, Gorb.—Sikkim.
12. *Orthrius subsimilis*, Wk.—Calcutta; Maldah.
13. „ *andamanensis*, Schklg.—Andamans.
14. „ *rufotestaceus*, Schklg.—Shillong, Khasi Hills; and Jhelum Valley, N.-W Himalayas.
15. „ *tarsalis*, Gorb.—At light on board steamer, Damukdia Ghat, E. Bengal.
16. „ sp. nov.—Kurseong; a single specimen.
17. „ sp. nov.—Sukna, E. Himalayas, 500 feet; a single specimen.
18. [*Phlogistus imperialis*, Gorb.—Adelaide, Australia.]
19. [*Trogodendron fasciculatum*, Schreib.—Adelaide, Australia.]
20. [*Fenithicola funestus*, Chev.—Adelaide, Australia.]
21. *Trichodes spectabilis*, Kr., var. *kuwerti*, Rtr.—Kogyar, E. Turkestan.
22. *Dasyroclerus* sp.—Calcutta; Lower Bengal: Port Canning.
23. *Phæocyclotomus* sp.—Andamans.
24. *Omadius seticornis*, Westw.—Malay Archipelago.
25. „ *mediofasciatus*, Westw.—Sikkim; Sibsaugor, Assam.
26. „ *roepstorfi*, Kuw.—Andamans.
27. *Neohydnius despectus*, Gorb. ?—Lower Burma: Base of Dawna Hills, interior of Amherst District.
28. „ sp. nov.—Calcutta; a single specimen.
29. *Tenerus signaticollis*, Cast.—Nicobars.
30. „ „ var. *marginipennis*, Gestro.—Sibsaugor, Assam.
31. „ *flavicollis*, Gorb.—Sibsaugor Assam.
32. „ *cyanopterus*, Spin., var.—Andamans.
33. „ *andamanensis*, Gorb.—Andamans.
34. [*Phymatophæa pustulifera*, Westw.—N. Zealand.]
35. *Necrobia ruficollis*, F.—Poona, W India.
36. „ *rufipes*, De Geer.—On board ship, Madras coast; on skeleton of an elephant, Calcutta.
37. *Opetiopalpus obesus*, Westw.—Nilgiri Hills, S. India.